Work Order ID 95306

January-08-13 1:26:34 PM

95306

Item ID:	D3651-043	**Accept**	*N900040100*
Revision ID:		**Setup Start**	*NS1*
Item Name:	Flange Weldment	**Stop**	*NS2*

Start Date: 1/08/13 **Start Qty:** 4.00 *4*

Required Date: 1/22/13 **Req'd Qty:** 4.00 *4*

Reference:

Cust Item ID:

Customer:

Approvals: **Process Plan:** MLS **Date:** 13-01-08 **Tooling:** **Date:**

QC: **Date:** **SPC (Y/N):** **Date:**

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr D3651	**Revision Nbr** Rev B								
100 *100* Large Fab Large Fab	Large Fab **Memo** Weld assembly as per dwg D3651	0.00 0.00				(4)	a	13-1-14	
110 *110* QC Quality Control	QC9- Inspect visual per QS1004- Fusion Welds **Memo**	0.00 0.00	Cpl 13.1.15			4			
120 *120* QC Quality Control	QC5- Inspect part completeness to step on W/O **Memo**	0.00 0.00	DAS 15 13.1.15			4			

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data	☐									
Equip/Tooling	☐									
Operator	☐									
Material	☐									
Setup	☐									
Other	☐									
Process	☐									
Supplier	☐									
Training	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection ncomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Work Order ID 95306

January-08-13 1:26:34 PM

95306

Item ID: D3651-043

Revision ID:

Item Name: Flange Weldment

Start Date: 1/08/13 **Start Qty:** 4.00 *4*

Required Date: 1/22/13 **Req'd Qty:** 4.00 *4*

Reference:

Accept *N900040100*

Setup Start *NS1*

Stop *NS2*

Cust Item ID:

Customer:

Approvals: **Process Plan:** ______ **Date:** ______ **Tooling:** ______ **Date:** ______

QC: ______ **Date:** ______ **SPC (Y/N):** ______ **Date:** ______

Run Start *NR1*

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Small Fab Small Fab	Small Fab	0.00				4	Ø	FF	13-01-21
	Memo Assemble as per dwg D3651	0.00							
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O	0.00 DAS 15 9-89				4			
	Memo	0.00 13 1-21							
150 *150* Packaging Packaging	Identify as per dwg & Stock Location: GA	0.00				4			SB 13/01/21
	Memo	0.00							

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

	DISPOSITION	AGAINST DEPARTMENT/PROCESS
Work Order: ____________	Rework ☐	Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐
Part No. ____________	Scrap ☐	Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐
NCR No. ____________	Use-as-is ☐	Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐
	Work Order Update ☐	Large Fab ☐ Composite ☐ Supplier ☐ ☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Work Order ID 95306

January-08-13 1:26:34 PM

95306

Item ID:	D3651-043	**Accept**	*N900040100*	**Setup Start**	*NS1*
Revision ID:				**Stop**	*NS2*
Item Name:	Flange Weldment				
Start Date:	1/08/13	**Start Qty:** 4.00	*4*	**Cust Item ID:**	
Required Date:	1/22/13	**Req'd Qty:** 4.00	*4*	**Customer:**	
Reference:					

Approvals: **Process Plan:** ______ **Date:** ______ **Tooling:** ______ **Date:** ______ **Run Start** *NR1*

QC: ______ **Date:** ______ **SPC (Y/N):** ______ **Date:** ______ **Stop** *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160 *160*	QC21- Final Inspection - Work Order Release	0.00						13/1/23	98
QC Quality Control	Memo	0.00							

N 13-01-21

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions	________	

Picklist Print

January-08-13 1:26:37 PM

Work Order ID: 95306

Parent Item: D3651-043

Parent Item Name: Flange Weldment

95306
D3651-043

Start Date: 1/08/13 **Required Date:** 1/22/13

Start Qty: 4.00 **Required Qty:** 4.00

Comments:
IPP Rev:A New Issue 07-09-27 DD verified by: EC
IPP Rev:B ECN 1113P 08-01-22 DD
IPP Rev:C ecn1162 08-04-02 DD verified by: EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3651-5 *D3651-5* Top Flange		Manufactured	No	94138x4		100	Each	0.0000	1 **	4	EL	13-1-10	
D3651-7 *D3651-7* Bottom Flange		Manufactured	No	94099x4		100	Each	0.0000	1 **	4	EL	13-1-10	
CR3523-4-02 *CR3523-4-02* RIVET		Purchased	No			130	Each	313.0000	57 **	228	FF	13-01-21	

Location		Loc Qty	Loc Code	
GA	124198	18		228
	120308	18		
ST329		168		
	123164	168		
ST330		127		
	120873	127		

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3651-3 *D3651-3* Base		Manufactured	No			130	Each	4.0000	1 **	4	FF	13-01-18	

Location		Loc Qty	Loc Code	
GA	~~[illegible]~~	4		~~[illegible]~~
	94008	4		4

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

Picklist Print

January-08-13 1:26:37 PM

Work Order ID: 95306 *95306*

Parent Item: D3651-043 *D3651-043*

Parent Item Name: Flange Weldment

Start Date: 1/08/13 **Required Date:** 1/22/13

Start Qty: 4.00 **Required Qty:** 4.00

MS20427M3-3 Purchased No 130 Each 47.0000 16 64

MS20427M3-3 ** FF 13-01-18

Rivet

Location		Loc Qty	Loc Code	
GA		47		
	123352	47		64

MS21060-3K Purchased No 130 Each 19.0000 8 32

MS21060-3K ** FF 13-01-18

Nut Plate

Location		Loc Qty	Loc Code	
ST316	124291	19		32
	123168	19		

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Work Order: ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Part No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
NCR No. ____________	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data	☐									
Equip/Tooling	☐									
Operator	☐									
Material	☐									
Setup	☐									
Other	☐									
Process	☐									
Supplier	☐									
Training	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

SHOP COPY
R[illegible] TO
ENGIN[illegible]G
UNCONT[illegible] COPY
SUBJECT T[illegible]
WITH[illegible]
WO[illegible]R
NO. 95306 MLS
13-01-08





PART LIST

QTY -041	PART NUMBER	DESCRIPTION
X	**D3651-041**	**AFT BASE ASSEMBLY**
1	D3651-043	FLANGE WELDMENT
1	D3651-1	GASKET
1	D3651-9	INSIDE DOUBLER
1	D3651-11	GASKET
1	D3651-13	OUTSIDE DOUBLER
58	CR3523-4-02 or NAS9307M-4-02	RIVET

RELEASED 08.03.27 MP

D3651-041 AFT BASE ASSEMBLY

D3651-041 NOTES:
1) SEAL ALL MATING SURFACES AND GAPS USING PROSEAL 700 FIRE WALL SEALANT
2) INSTALL D3651-1 USING 3M HIGH PERFORMANCE CONTACT ADHESIVE 1357
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 1.6 lbs

REV.	DESCRIPTION	BY	DATE
B	SHEET 1: GENERAL UPDATE SHEET 2: 8.74 WAS 8.50; 0.88 WAS 0.98; REMOVED ANGLE SHEETS 4, 5, 6, 8 & 9: GENERAL DIMENSIONAL UPDATE SHEET 7: 5.514 WAS 5.504	RF	08.01.07
A	NEW ISSUE	RF	07.11.07

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 1 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:4
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Work Order: ______________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Part No. ______________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
NCR No. ______________	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									


FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306







QTY -043	PART NUMBER	DESCRIPTION
X	D3651-043	FLANGE WELDMENT
1	D3651-3	BASE
1	D3651-5	TOP FLANGE
1	D3651-7	BOTTOM FLANGE
16	MS20427M3-3	RIVET
8	MS21060-3K	NUTPLATE
57	CR3523-4-02 or NA9307M-4-02	RIVET

D3651-043 FLANGE WELDMENT

D3651-043 NOTES:
1) WELD PER QSI 004
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.76 lbs

DESIGN	RF
DRAWN	RF
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	08.01.07

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3651 — REV. B — SHEET 2 OF 9

TITLE: AFT BASE ASSEMBLY — SCALE 1:3

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order: ______	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ______	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ______	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ______
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306





D3651-1 GASKET

08·03·27

NOTES:
1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) PART IS SYMMETRIC ABOUT ℄
8) WEIGHT: 0.09 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 3 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ______________

Part No. ______________

NCR No. ______________

DISPOSITION

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Work Order Update ☐

AGAINST DEPARTMENT/PROCESS


Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY


Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	______________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	______________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	______________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306






D3651-3 BASE
(MAKE FROM D3651-3F FLAT PATTERN)



D3651-3F FLAT PATTERN



DETAIL A

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.27 lbs
8) BEND TO 55° WHERE INDICATED

08.03.27

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 4 OF 9
MFG. APPR.		
APPROVED		TITLE: AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order: ____ Part No. ____ NCR No. ____	**DISPOSITION** Rework ☐ Scrap ☐ Use-as-is ☐ Work Order Update ☐	**AGAINST DEPARTMENT/PROCESS** Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐ Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐ ☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐ Equip/Tooling ☐ Operator ☐ Material ☐ Setup ☐ Other ☐ Process ☐ Supplier ☐ Training ☐ Unapproved ☐									

FAULT CATEGORY


Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306





D3651-5F FLAT PATTERN (B)



D3651-5 TOP FLANGE BEND DETAIL (B)
(MAKE FROM D3651-5F FLAT PATTERN)

08.03.27 MP

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.02 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED	LE	DRAWING NO. D3651 — REV. B — SHEET 5 OF 9
MFG. APPR.	MP	
APPROVED	[signature]	TITLE: AFT BASE ASSEMBLY — SCALE 1:3
DE APPR.	[signature]	
DATE	08.01.07	

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: Date:


Work Order: ____________	**DISPOSITION**	**AGAINST DEPARTMENT/PROCESS**			
Part No. ____________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ____________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									


FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ____________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		






D3651-7F FLAT PATTERN B



D3651-7 BOTTOM FLANGE BEND DETAIL B
(MAKE FROM D3651-7F FLAT PATTERN)



NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.02 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	DRAWING NO. D3651 REV. B SHEET 6 OF 9
CHECKED		
MFG. APPR.		TITLE AFT BASE ASSEMBLY SCALE 1:3
APPROVED		
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:


Work Order: ______________	DISPOSITION	AGAINST DEPARTMENT/PROCESS			
Part No. ______________	Rework ☐	Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
NCR No. ______________	Scrap ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
	Use-as-is ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
	Work Order Update ☐	Large Fab ☐	Composite ☐	Supplier ☐	☐


Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306





D3651-9 INSIDE DOUBLER

08.03.27

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019
(REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.07 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 REV. B SHEET 7 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY SCALE 1:2
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ______________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________________

Part No. ____________________

NCR No. ____________________

DISPOSITION

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Work Order Update ☐

AGAINST DEPARTMENT/PROCESS


Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	**General**			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other ________
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306



08.03.27 MP

NOTES:
1) MATERIAL: THERMO-CHEM P/N G-89, (REF. 0.060 THICK)
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.2 lb

D3651-11 GASKET B

DESIGN	RF
DRAWN	RF
CHECKED	
MFG. APPR.	
APPROVED	
DE APPR.	
DATE	08.01.07

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3651 — REV. B — SHEET 8 OF 9

TITLE: AFT BASE ASSEMBLY — SCALE 1:2

DQA: ________ Date: ________________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________________

Part No. ____________________

NCR No. ____________________

DISPOSITION

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Work Order Update ☐

AGAINST DEPARTMENT/PROCESS


Skid-tube ☐	Crosstube ☐	Water Jet ☐	Engineering ☐
Machining ☐	Small Fab ☐	Prod. Eng. Coor. ☐	Quality ☐
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐
Large Fab ☐	Composite ☐	Supplier ☐	☐

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data ☐									
Equip/Tooling ☐									
Operator ☐									
Material ☐									
Setup ☐									
Other ☐									
Process ☐									
Supplier ☐									
Training ☐									
Unapproved ☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset		
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration		
☐ Turning Sequence	☐ Finish	☐ Out of Sequence		
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		

95306



08.03.27

D3651-13 OUTSIDE DOUBLER (B)

NOTES:
1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 (26 GAUGE) SHEET, PER MIL-S-5019 (REF. DART SPEC. M304S26GA)
2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: 0.10 lbs

DESIGN	RF	**DART AEROSPACE LTD** HAWKESBURY, ONTARIO, CANADA
DRAWN	RF	
CHECKED		DRAWING NO. D3651 — REV. B — SHEET 9 OF 9
MFG. APPR.		
APPROVED		TITLE AFT BASE ASSEMBLY — SCALE 1:2
DE APPR.		
DATE	08.01.07	

DQA: ________ Date: ____________

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date:

Work Order: ____________ Part No. ____________ NCR No. ____________	**DISPOSITION** Rework ☐ Scrap ☐ Use-as-is ☐ Work Order Update ☐	**AGAINST DEPARTMENT/PROCESS** Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Crosstube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coor. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐ ☐

Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data	☐									
Equip/Tooling	☐									
Operator	☐									
Material	☐									
Setup	☐									
Other	☐									
Process	☐									
Supplier	☐									
Training	☐									
Unapproved	☐									

FAULT CATEGORY

Landing Gear	General			
☐ Bending	☐ Bend	☐ Grain	☐ Ovalized	☐ Pressure/Forced
☐ Centre Not Concentric to O/S	☐ BOM/Route	☐ Hardware	☐ Over/Under tolerance	☐ Temperature/Cure
☐ Cracks	☐ Broken/Damaged	☐ Inspection Incomplete	☐ Part Incorrect	☐ Weld
☐ Crushed/Crimped.	☐ Burrs	☐ Instructions Incomplete/Unclear	☐ Part Lost/Missing	☐ Wrong Stock Pulled
☐ Cuffs	☐ Contamination	☐ Maintenance	☐ Part Moved	
☐ Heat Treat	☐ Countersink	☐ Mislabeled	☐ Positioned Wrong	
☐ Inspection Strip in Tube	☐ Cut Too Short	☐ Misread	☐ Power Loss/Surge	☐ Other
☐ Ripples in Bend	☐ Drill Holes	☐ Offset	____________	
☐ Torque Waves in Extrusion	☐ Drawing	☐ Out of Calibration	____________	
☐ Turning Sequence	☐ Finish	☐ Out of Sequence	____________	
☐ Wave/Twist in Tube	☐ Folio	☐ Outside Dimensions		